


Universal Pipe Guards & Clamps

- 180° wrap coverage
- 48" (1219mm) length
- Polished stainless steel
- Shipped with protective film on one side
- Clamps must be ordered separately

Universal Pipe Guards & Clamps

Pipe Dia. in	mm	Stainless ¹	Clamp Kit
4.00	102	P206543	P206508
5.00	127	P206543	P206509
6.00	152	P206543	P224492

1 - Requires clamp kit for installation




Pipe Guard Clamp Kits

- Two clamps per kit
- Chrome plated
- 12 gauge cold rolled steel construction

90° O.D. - I.D.



- 16 gauge aluminized or chrome plated steel
- One end O.D., one end I.D. slotted



Diameter O.D.-I.D.		Leg Length (A)		Leg Length (B)		Center Line Radius (R)		Aluminized	Chrome
in	mm	in	mm	in	mm	in	mm		
2.00	51	9.00	229	9.00	229	5.00	127	P207333	
		6.38	162	6.38	162	4.00	102	J008671	
2.50	64	6.25	159	6.25	159	4.00	102	P206339	
		12.00	305	12.00	305	5.00	127	P207335	
2.75	70	6.38	162	6.38	162	5.00	127	P216172	
3.00	76	8.00	203	8.00	203	5.00	127	P206340	
		14.00	356	14.00	356	5.00	127	P206341	
3.50	89	9.00	229	9.00	229	5.00	127	P206342	
		12.00	305	12.00	305	5.00	127	P224669	
		16.00	406	16.00	406	5.00	127	P206343	
4.00	102	8.00	203	8.00	203	4.50	114		P224671
		8.00	203	8.00	203	5.00	127	J008681	
		10.00	254	10.00	254	4.50	114		P207345
		10.00	254	10.00	254	7.00	178	P206344	
		18.00	457	18.00	457	4.50	114		P206353
4.00	102	18.00	457	18.00	457	7.00	178	P206345	
		25.00	635	32.00	813	7.00	178	P207338	
4.50	114	12.00	305	12.00	305	5.00	127	J190002	
5.00	127	8.50	216	8.50	216	5.50	140	J190003	J190004
		11.00	279	11.00	279	5.50	140	P207339	J009547
		15.00	381	15.00	381	7.50	191		P207346
						10.00	254	P206347	
		18.00	457	18.00	457	7.50	191		P206354
6.00	152					10.00	254	P206348	
		25.00	635	32.00	813	10.00	254	P207340	
		15.00	381	15.00	381	10.00	254	P207341	
		26.00	660	26.00	660	10.00	254	P206350	

90° O.D. - O.D.


- 16 gauge aluminized or chrome plated steel
- Both ends O.D.



Diameter O.D.-O.D.		Leg Length (A)		Leg Length (B)		Center Line Radius (R)		Aluminized	Chrome
in	mm	in	mm	in	mm	in	mm		
2.00	51	9.00	229	9.00	229	5.00	127	P207322	
2.25	57	10.00	254	10.00	254	4.00	102	P216174	
2.50	64	12.00	305	12.00	305	5.00	127	P207324	
2.75	70	12.00	305	12.00	305	5.00	127	P207325	
3.00	76	3.50	89	3.50	89	3.00	76	P206397	
		6.00	152	6.00	152	4.00	102	P207362	
		10.00	254	10.00	254	5.00	127	P207326	
		14.00	356	14.00	356	5.00	127	J190013	
3.50	89	4.00	102	4.00	102	4.00	102	P206398	
		8.00	203	8.00	203	4.00	102	P207363	
		9.00	229	9.00	229	5.00	127	J190014	
		12.00	305	12.00	305	5.00	127	P207327	
4.00	102	16.00	406	16.00	406	5.00	127	P207328	
		4.50	114	4.50	114	4.00	102	P206399	
		8.00	203	8.00	203	4.00	102	P207364	
		9.00	229	15.00	381	4.00	102	P207330	
5.00	127	12.00	305	12.00	305	4.00	102	P206346	
		18.00	457	18.00	457	4.50	114		J190016
		7.00	178					P207329	
		25.00	635	25.00	635	5.00	127	J190017	
6.00	152	5.50	140	5.50	140	5.50	140	P206400	
		10.00	254	10.00	254	5.50	140	P207365	
		11.00	279	16.00	406	5.50	140	P207332	
		15.00	381	15.00	381	7.50	191		J190019
						10.00	254	P207331	
6.00	152	20.00	508	20.00	508	10.00	254	P206349	
		25.00	635	25.00	635	8.00	203	J190020	
		6.50	165	6.50	165	6.00	152	P207361	
		10.00	254	10.00	254	6.00	152	P207366	
		23.00	584	23.00	584	10.00	254	P216175	

67° O.D. - O.D.


- 16 gauge aluminized steel
- Both ends O.D.
- For Peterbilt Truck




Diameter O.D.-O.D.		Leg Length (A)		Leg Length (B)		Center Line Radius (R)		Part Number
in	mm	in	mm	in	mm	in	mm	
5.00	127	7.50	191	11.00	279	8.00	203	J009560

Freightliner Truck Bent Tube

Freightliner Part No.	Donaldson Part No.	- Dia. O.D. -		Application
		in	mm	
04-12399-000	J380008	5.00	127	Exhaust Elbow




60° O.D. - O.D.



- 16 gauge aluminized steel
- Both ends O.D.

60° O.D. - I.D.




- 16 gauge aluminized steel
- One end O.D., one end I.D. slotted

Diameter O.D.-O.D.		Leg Length (A & B)		Center Line Radius (R)		Part Number
in	mm	in	mm	in	mm	
4.00	102	8.00	203	5.00	127	J009644
5.00	127	8.00	203	5.50	140	J009645

Diameter O.D.-I.D.		Leg Length (A & B)		Center Line Radius (R)		Part Number
in	mm	in	mm	in	mm	
3.50	89	8.00	203	5.00	127	J009639
4.00	102	8.00	203	5.00	127	J009640
5.00	127	8.00	203	5.50	140	J009641

45° O.D. - I.D.

- 16 gauge aluminized or chrome plated steel
- One end O.D., one end I.D. slotted




Diameter O.D.-I.D.		Leg Length (A & B)		Center Line Radius (R)		Aluminized	Chrome
in	mm	in	mm	in	mm		
2.50	64	6.00	152	4.00	102	P206279	
3.00	76	7.00	178	5.00	127	P206280	
3.50	89	8.00	203	5.00	127	P206281	
4.00	102	8.00	203	7.00	178		P206285
		9.25	235	8.00	203	P206282	
		12.00	305	5.00	127	J190023	
5.00	127	8.00	203	8.00	203	J190025	P206286
		12.00	305	8.00	203	P206283	
		15.00	381	5.50	140	J190027	
6.00	152	8.00	203	6.00	152	P207359	

Bent Tubes for Trucks


Kenworth Truck Bent Tubes

Kenworth Part No.	Donaldson Part No.	Dia. O.D.		Application
		in	mm	
K180-5419	J018110	5.00	127	28° Elbow
K180-14764L	J038611	5.00	127	Left Hand Elbow
K180-14764R	J038612	5.00	127	Right Hand Elbow




J018110

J038611



90°



45°

J038612

Mack Truck Bent Tubes

Mack Part No.	Donaldson Part No.	Dia. O.D.		Application
		in	mm	
4ME21698	J028528	4.00	102	R & RD Models




Thermocouple Fitting

J028528

45° O.D. - O.D.


- 16 gauge aluminized or chrome plated steel
- Both ends O.D.



Diameter O.D.-O.D.		Leg Length (A)		Leg Length (B)		Center Line Radius (R)		Aluminized	Chrome
in	mm	in	mm	in	mm	in	mm		
2.00	51	6.00	152	6.00	152	5.00	127	P207347	
2.50	64	6.00	152	6.00	152	5.00	127	P207349	
2.75	70	6.00	152	6.00	152	5.00	127	P207350	
3.00	76	7.00	178	7.00	178	5.00	127	P207351	
3.50	89	8.00	203	8.00	203	5.00	127	P207352	
4.00	102	8.00	203	8.00	203	4.00	102	P207353	
5.00	127	8.00	203	8.00	203	5.50	140	P207354	P216169
6.00	152	8.00	203	8.00	203	6.00	152	P207355	

30° O.D. - O.D.


- 16 gauge aluminized steel
- Both ends O.D.



Diameter O.D.-O.D.		Leg Length (A & B)		Center Line Radius (R)		Part Number
in	mm	in	mm	in	mm	
3.50	89	4.00	102	5.00	127	J009635
4.00	102	4.00	102	5.00	127	J009636
5.00	127	4.00	102	5.50	140	J009637

30° O.D. - I.D.


- 16 gauge aluminized steel
- One end O.D., one end I.D. slotted



Diameter O.D.-I.D.		Leg Length (A & B)		Center Line Radius (R)		Part Number
in	mm	in	mm	in	mm	
3.50	89	4.00	102	5.00	127	J009631
4.00	102	4.00	102	5.00	127	J009632
5.00	127	4.00	102	5.50	140	J009633

15° O.D. - O.D.

- 16 gauge aluminized steel
- For use where clearance is a problem



Diameter O.D.-O.D.		Leg Length (A & B)		Center Line Radius (R)		Part Number
in	mm	in	mm	in	mm	
3.00	76	1.75	44	5.00	127	P206393
3.50	89	1.75	44	5.00	127	P206394
4.00	102	2.00	51	4.00	102	P206395
5.00	127	4.00	102	5.50	140	P206396